


AB TUBE



+ GRUPO **ABX**




Ave. Adolfo López Mateos No. 1220 Col. Margarita Rodríguez Salazar
San Nicolás de los Garza, N.L. México C.P. 66479

CQ C PURLINS

SIZE GAUGE	FINISH COLOR	LENGTH (Ft.)	PIECES x BUNDLE	WEIGHT LBS x BUNDLE
3" x 1 1/2" 14 ga.	RED OXIDE	20	50	1630
		25		2038
		30		2445
34 x 1 1/2" 14 ga.	RED OXIDE	20	50	1910
		25		2388
		30		2865
4" x 2" 14 ga.	RED OXIDE	20	50	2180
		25		2725
		30		3270
6" x 2" 14 ga.	RED OXIDE	20	48	2525
		25		3156
		30		3787
8" x 2 1/2" 14 ga.	RED OXIDE	20	50	3370
		25		4213
		30		5055
10" x 2 3/4" 14 ga.	RED OXIDE	20	40	3216
		25		4020
		30		4824


DIMENSIONS (In.) D x B x L



CQ Z PURLINS

SIZE GAUGE	FINISH COLOR	LENGTH (Ft.)	PIECES x BUNDLE	WEIGHT LBS x BUNDLE
3" x 1 1/2" 14 ga.	RED OXIDE	20	50	2289
				2398
				2834
				2943
				3270
34 x 1 1/2" 14 ga.	RED OXIDE	20	50	2762
				2893
				3419
				3551
				3945
4" x 2" 14 ga.	RED OXIDE	20	50	3370
				3539
				3707
				4213
				4381
		25	50	4550
				5055

DIMENSIONS (In.) D x B x L



CHANNELS

SIZE GAUGE	FINISH COLOR	LENGTH (Ft.)	PIECES x BUNDLE	WEIGHT LBS x BUNDLE
4 3/16" x 2" 14 ga.	RED OXIDE	20	50	1920
		25		2400
		30		2880
6 3/16" x 2 1/2" 14 ga.	RED OXIDE	20	48	2534
		25		3168
		30		3802
8 3/16" x 3" 14 ga.	RED OXIDE	20	50	3245
		25		4225
		30		5070

BASE ANGLE

SIZE GAUGE	FINISH COLOR	LENGTH (Ft.)	PIECES x BUNDLE	WEIGHT LBS x BUNDLE
2" x 2" 14 ga.	RED OXIDE	20	100	2012
		25		2515
3" x 2" 14 ga.	RED OXIDE	20	100	2516
		25		3145
4" x 2" 14 ga.	RED OXIDE	20	100	3018
		25		3773

STRIPS

SIZE	WIDTH	LENGTH (Ft.)	PIECES AVERAGE	WEIGHT LBS x BUNDLE
1/8"	1"	20'	518	4,400
	1 1/4"		414	
	1 1/2"		345	
	2"		259	
3/16"	1"	20'	345	4,400
	1 1/4"		276	
	1 1/2"		230	
	2"		173	



SQUARE MECHANICAL TUBING

SIZE	PIECES x BUNDLE	GAUGE	LENGTH (Ft.)	WEIGHT LBS x BUNDLE	
3/4" x 3/4"	120	14	20	740	
			24	889	
		16	20	613	
			24	735	
1" x 1"	100	11	20	2,740	
			24	3,288	
			12	20	2,580
				24	3,096
		13	20	2,220	
			24	2,664	
			14	20	1,860
				24	2,232
		16	20	1,540	
			24	1,848	
			11	20	3,520
				24	4,224
12	20	3,300			
	24	3,960			
13	20	2,840			
	24	3,408			
	14	20	2,360		
		24	2,832		
16	20	1,940			
	24	2,328			
	64	3/16"	20	4,032	
			24	4,838	
36		40	4,536		
		81	11	20	3,483
24	4,180				
40	4,536				
12	20		3,256		
	24		3,907		
	40		4,180		
13	20	24	2,803		
		40	3,363		
		40	3,907		
	14	20	2,333		
		24	2,799		
		40	2,799		
16	20	24	1,912		
		40	2,294		
		40	2,294		
	36	3/16"	20	3,125	
			24	3,750	
			40	6,250	
49		11	20	2,862	
			24	3,434	
		36	40	4,205	
2" x 2"	49	12	20	2,675	
			24	3,210	
		13	20	2,293	
			24	2,752	
	14	20	24	1,901	
			40	2,281	
		49	40	24	3,802
				40	3,802
	16	20	24	1,548	
			24	1,858	

SIZE	PIECES x BUNDLE	GAUGE	LENGTH (Ft.)	WEIGHT LBS x BUNDLE	
2 1/2" x 2 1/2"	25	3/16"	20	2,765	
			24	3,318	
			40	5,530	
	36	11	20	2,664	
			24	3,197	
			40	3,700	
36	14	20	1,757		
		24	2,108		
		25	20	2,440	
			40	2,440	
3" x 3"	25	3/16"	20	3,360	
			24	4,032	
			40	20	6,720
				40	6,720
	36	11	20	3,226	
			24	3,871	
			40	6,451	
		14	20	2,124	
			24	2,549	
			40	2,549	
3 1/2" x 3 1/2"	30	3/16"	20	4,746	
			24	5,695	
	20	11	40	6,328	
			40	6,328	
	30	11	20	3,150	
			24	3,780	
4" x 4"	25	3/16"	20	5,250	
			40	5,250	
	20	11	20	4,550	
			24	5,460	
	30	11	20	7,280	
			24	7,280	
30	14	20	3,618		
		24	4,342		
25	14	20	4,824		
		24	4,824		
		40	20	2,370	
			24	2,844	
25	14	40	3,160		
		40	3,160		



RECTANGULAR MECHANICAL TUBING

SIZE	PIECES x BUNDLE	GAUGE	LENGTH (Ft.)	WEIGHT LBS x BUNDLE
1 1/2" X 1"	96	11	20 24	3,520 4,224
		14	20 24	2,340 2,808
		16	20 24	1,940 2,328
2" X 1"	72	11	20 24	3,096 3,715
		14	20 24	2,074 2,488
		16	20 24	1,699 2,039
2 1/2" X 1 1/2"	48	11	20 24	2,862 3,434
		14	20 24	1,901 2,281
3" X 1"	40	11	20 24	2,336 2,803
		14	20 24	1,552 1,862
		16	20 24	1,264 1,517
3" X 1 1/2"	40	3/16"	20 24	3,952 4,742
	24		40	4,742
	40	11	20 24	2,648 3,178
	24		40	3,178
	40	14	20 24	1,752 2,102
	24		40	2,102
3" X 2"	35	3/16"	20 24 40	3,871 4,645 5,511
	24		20 24 40	2,590 3,108 5,180
	35		11	20 24 40
	40	14	20 24	1,708 2,050
	24		40	3,416
	4" X 1-1/2"	36	3/16"	20 24
11			20 24	2,945 3,534
14			20 24	1,937 2,324
4" X 2"	28	3/16"	20 24 40	3,763 4,516 7,526
	36		11	20 24 40
	36	14	20 24 40	2,124 2,549 4,248
			20 24 40	4,430 5,316
4" X 3"	28	3/16"	20 24	4,430 5,316
	20		40	6,328
	35	11	20 24	3,675 4,410
	20		40	4,189
5" X 2"	27	3/16"	20 24 40	4,271 5,126 8,543
			11	20 24 40
		6" X 2"	27	3/16"
18	40		6,552	
27	11		20 24	3,256 3,907
18			40	4,342
27	14		20 24	2,133 2,560
18			40	2,844

ROUND MECHANICAL TUBING

SIZE O.D.	WALL THICKNESS	PIECES x BUNDLE	LENGTH (Ft.)	WEIGHT LBS x BUNDLE
1.25"	.072"	91	20 24	1674 2009
	.105"		20 24	2366 2839
1.315"	.074"	91	21 24	1892 2162
	.105"		21 24	2618 2992
	.113"		21 24	2790 3189
1.5"	.120"	61	20 24	2172 2606
	.072"		20 24	1354 1625
	.060"		20 24	1122 1347
1.66"	.074"	61	21 24	1627 1859
	.105"		21 24	2255 2577
	.121"		21 24	2562 2928
	.142"		21 24	2972 3396
1.9"	.074"	61	21 24	1870 2137
	.105"		21 24	2600 2972
	.121"		21 24	2972 3396
	.147"		21 24	3548 4055
	.173"		21 24	4112 4699
	2"		.120"	61
.072"		20 24	1830 2196	
.060"		20 24	1513 1815	
.072"		21 24	1399 1598	
2.375"	.105"	37	21 24	1997 2282
	.120"		21 24	2261 2584
	.134"		21 24 32	2510 2860 3824
	.072"		21 24	1702 1945
2.875"	.105"	37	21 24	2440 2788
	.113"		20	2486
	.134"		21 24 32	3069 3508 4677
	.173"		21 24	3901 4458
	3.5"		.105"	19
.134"		21 24	1935 2212	
4.5"		.105"	19	
	.134"	21 24 32		2510 2868 3824

CR / HR P&O SQUARE MECHANICAL TUBING

SIZE	PIECES x BUNDLE	GAUGE	LENGTH (Ft.)	WEIGHT LBS x BUNDLE
3/4" x 3/4"	120	18 CR	20	1,121
			24	1,345
		16 HR P&O	20	1,351
			24	1,621
		14 HR P&O	20	1,692
			24	2,030
1" x 1"	100	20 CR	20	970
			24	1,164
		18 CR	20	1,268
			24	1,522
		16 HR P&O	20	1,534
			24	1,841
		14 HR P&O	20	1,934
			24	2,321
1 1/4" x 1 1/4"	100	18 CR	20	1,600
			24	1,920
		16 HR P&O	20	1,942
			24	2,330
		14 HR P&O	20	2,456
			24	2,947
1 1/2" x 1 1/2"	81	18 CR	20	1,567
			24	1,880
		16 HR P&O	20	1,904
			24	2,284
		14 HR P&O	20	2,414
			24	2,897
2" x 2"	49	16 HR P&O	20	1,547
			24	1,858
		14 HR P&O	20	1,900
			24	2,281

HR P&O ROUND MECHANICAL TUBING

SIZE O.D.	PIECES x BUNDLE	WALL THICKNESS	LENGTH (Ft.)	WEIGHT LBS x BUNDLE
3/4"	169	.059" HR P&O	20	1,494
		.072" HR P&O	24	1,793
1"	127	.059" HR P&O	20	1,529
		.072" HR P&O	24	1,835
1" 3/16"	91	.059" HR P&O	20	1,928
		.072" HR P&O	24	2,313
1" 1/4"	91	.059" HR P&O	20	1,834
		.072" HR P&O	24	2,201
1" 3/8"	91	.059" HR P&O	20	2,319
		.072" HR P&O	24	2,783
1" 1/4"	91	.059" HR P&O	20	1,389
		.072" HR P&O	24	1,666
1" 3/8"	91	.059" HR P&O	20	1,756
		.072" HR P&O	24	2,108
1" 3/8"	91	.059" HR P&O	20	1,534
		.072" HR P&O	24	1,841
1" 3/4"	61	.059" HR P&O	20	1,942
		.072" HR P&O	24	2,330
1" 3/4"	61	.059" HR P&O	20	1,321
		.072" HR P&O	24	1,586
2"	61	.059" HR P&O	20	1,679
		.072" HR P&O	24	2,014
2"	61	.059" HR P&O	20	1,516
		.072" HR P&O	24	1,820
2"	61	.059" HR P&O	20	1,929
		.072" HR P&O	24	2,315

CR / HR P&O RECTANGULAR MECHANICAL TUBING

SIZE	PIECES x BUNDLE	GAUGE	LENGTH (Ft.)	WEIGHT LBS x BUNDLE
1/2" x 1"	135	20 CR	20	969
			24	1,169
		18 CR	20	1,261
			24	1,513
		16 HR P&O	20	1,520
			24	1,824
1/2" x 1 1/2"	105	20 CR	20	1,019
			24	1,222
		18 CR	20	1,331
			24	1,598
		16 HR P&O	20	1,611
			24	1,933
3/4" x 1 1/4"	135	18 CR	20	1,712
			24	2,054
		16 HR P&O	20	2,071
			24	2,485
		14 HR P&O	20	2,611
			24	3,133
3/4" x 1 3/4"	102	18 CR	20	1,632
			24	1,958
		16 HR P&O	20	1,981
			24	2,377
		14 HR P&O	20	2,505
			24	3,006
1" x 1 1/2"	108	18 CR	20	1,728
			24	2,074
		16 HR P&O	20	2,097
			24	2,517
		14 HR P&O	20	2,652
			24	3,183
2" x 1"	72	18 CR	20	1,392
			24	1,671
		16 HR P&O	20	1,692
			24	2,030
		14 HR P&O	20	2,146
			24	2,575
1 1/4" x 1 3/4"	108	18 CR	20	2,089
			24	2,506
		16 HR P&O	20	2,538
			24	3,046
		14 HR P&O	20	3,218
			24	3,862

CONVERSIONS

Inches to Millimeters	Multiply by 25.4
Millimeters to Inches	Divide by 25.4
Feet to Meters	Multiply by .3048
Meters to Feet	Divide by .3048
Pounds to Kilograms	Divide by 2.2046
Kilograms to Pounds	Multiply by 2.2046
Short Tons to Metric Tons	Multiply by .9072
Metric Tons to Short Tons	Divide by 1.1023



✦ GRUPO

ABX

ABINSA  ABTUBE  ABSTEEL  ABTEFLU  ABTECH  ABFAB 

ABTUBE located in Monterrey, steel capital of Mexico, since 1986. This plant produces Purlins, Base Angles, Receiving Channels, Round and Square Tubing



CONTACT US

Ave. Adolfo López Mateos No. 1220
Col. Margarita Rodríguez Salazar
San Nicolás de los Garza, N.L.
México C.P. 66479

USA Mail Address
1200 San Dario Ave. PMB 7-169
Laredo, Tx. 78040-4505 USA

<http://grupoabx.com/index.php>

Export Sales
52(818)158 0302
52(818)158 0304 *Fax*

Logistics
52(818)158 0312
52(818)158 0308 *Fax*

Human Resources
52(818)158 0311

Switcher
52(818)158 0300